

Dual Lens Pipe Inspection Camera

Model: GLF-UNC-P01

Description

1. Dual lens (camera with two lenses), which can be used to look forward and around.
2. Cable length scale: the scaled cable can show the cable length.
3. The camera diameter is 42mm, it is suitable for the pipe which size is large than 42mm.
4. Color TFT LCD Screen.
5. high resolution camera, clear picture,
6. Highlight night vision lights, wonderful night vision.
7. Deeply waterproof function: professional sealed waterproofing process; waterproof grade: IP68
8. High quality special cable, waterproof and anti-corrosion/cold/tensile.
9. 12V4500MA lithium battery. With battery capacity showing function: u can get the detail battery capacity when using.
10. Leather sunshade with magnets, with sun-visor for bright environment outside.

11. Range of Application: Water-supply pipe、 Air-conditioner pipe、 Cable pipe、 Pipeline vacuum system、 PLUNBIN pipe、

Buildings、Sunken pipe

Product Specification

Item:	parameter
Charger:	AC100-240V DC12.6V 1000MA
Battery:	lithium battery 12V4500MA
Continuous use time for battery:	approximate 6h
Investigation depth:	20M(selectable line length)
Material:	fiber tube with /high intensity
Camera light source:	LED with high while light(adjustable)
Camera material:	stainless steel
Menu languages	multi-language
Camera picture:	color
Operating temperature:	-20-60°
Storage temperature:	-50-60°

Instruction for Product

1. Camera




Product Specification

Item:	parameter
Camera diameter:	42MM
With the tube diameter:	>45MM
Camera light source:	LED with high while light
Camera working voltage:	12V
Lights working voltage:	12V
Water proof:	IP68
Camera size:	136MM* 42MM
Camera protective cover parts size 1:	41MM* 99MM

Camera protective cover parts size 1: 54MM* 140MM

2 Coil

- 1、 camera wire interface
- 2、 coil plug to the cell box
- 3、 hand shank
- 4、 coil
- 5、 fiberglass rob cable



Cell box

- 1 monitor video
- 2 power of monitor
- 3 camera wire interface
- 4 power input for charger
- 5 power switch
- 6 battery indicator
- 7 lens switch
- 8 power light

